



AMERICA'S LAWN VAC LEADER



AMERICA'S LAWNVAC LEADER

Originally founded in 1972, PECO has been a pioneer in the lawn care industry from our beginning. We are an independent, family-owned company driven to be the premier manufacturer of material collection systems and quality accessories for the outdoor power equipment industry. Our LawnVacs and other products are designed and built in America, to serve the needs of professional landscapers, institutions, and homeowners. We design our products to be long lasting, easy to use, and to work like nothing else. Our products make your job easier.

PECO's experienced, knowledgeable staff is available to help our customers get the most out of our products. We maintain an extensive inventory of parts, ensuring you many years of use for your LawnVac or other accessory. We stand behind our products with a one-year limited warranty.

We are dedicated to constantly improving our products and serving our customers year after year. PECO is proud to be America's LawnVac Leader.

Visit us at www.LawnVac.com to find information on our full product line, download manuals and parts breakdowns, locate a dealer, or ask a question 24/7.



INNOVATION

Patented PTO Drives

The PECO PTO drive is a unique way to power our LawnVacs. So unique, in fact, that it has been granted a US patent. Unlike other baggers whose blowers are mounted on the deck and driven off the deck spindle, our blowers take their power directly from the engine. This allows the blower to engage independently of the deck, which reduces start up strain on the engine and belts.

We now have three versions of our PTO Drive available to fit your needs.

PTO-X:

- Our Most Advanced PTO Drive
- Electric Clutch Engagement
- Aluminum Housing and Cone
- 4-Blade 4-Gauge Steel Impeller
- Self-Tensioning Belt
- Fewer Moving Parts
- 1 Year Commercial Warranty

PTO-C:

- Designed for Commercial Use
- Manual Over-Center Engagement
- Aluminum Housing and Cone
- 4-Blade 4-Gauge Steel Impeller
- 1 Year Commercial Warranty

PTO-R:

- Designed for Residential Use
- Manual Lever Engagement
- Polyethylene Housing and Cone
- 3-Blade 7-Gauge Steel Impeller
- Lightweight
- 1 Year Residential Warranty

TRAIL-O-MATIC HITCH



Unique PECO Technology for Trailers

The PECO Trail-o-Matic hitch keeps the engine position fixed relative to your tractor as the trailer pivots. This exclusive feature keeps a constant length of hose from the boot to the impeller, which means no stretching or binding of the hose for better airflow and longer hose life.



PRO12^{DFS}



The **PRO12^{DFS}** (Dump From Seat) is a mounted aluminum box designed for one-handed dumping from the operator's seat. The Pro 12^{DFS} will increase your productivity, whatever your application. Featuring our patented mid-mounted blower, it has the power to handle today's high output commercial decks.



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Easy Dump From Seat



PTO-X with Self-Tensioning Belt and Electric Clutch Engagement

Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Corrosion-Resistant Aluminum Container
- Framed in Heavy-Duty Steel, Polyethylene Door, and Steel Door Frame
- Easy to Install – No Tool Removal

Fits

- | | | |
|--------------|-----------------|-------------------|
| ➤ Bobcat | ➤ Bush Hog | ➤ Country Clipper |
| ➤ Cub Cadet | ➤ Dixie Chopper | ➤ Exmark |
| ➤ Greenworks | ➤ John Deere | ➤ Kubota |
| ➤ Scag | ➤ Spartan | ➤ Toro |

Drive Options

- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement
- Briggs & Stratton 6.5hp Vanguard Gas Engine

* Not All Drives Available on All Mowers

Specifications

- Category: Commercial
- 12 Cubic Foot Capacity = 9.6 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 168 Pounds

| | PTO-C | PTO-X | B&S 6.5hp |
|----------------|------------------|------------------|-----------|
| Install Weight | 325 - 330 Pounds | 335 - 340 Pounds | |
| Added Width | 16" | 16" | |
| Added Length | 24" | 24" | |



PRO3B



The **PRO3B** is designed with the professional landscape contractor in mind, making it a true commercial collection system. The tapered design of the bags makes them easy to remove and dump. The Pro 3B features a rugged design and our patented mid-mount blower system to provide the high-volume collection capacity that today's commercial ZTR mowers demand.



4-Blade Steel Impeller & Cast Aluminum Blower Housing



Easy No Tool Removal (Once Installed)



Engage PTO-X Drive From Operator's Seat

Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Adjustable Grass Dispersion Evenly Fills All 3 Bags
- Lower Profile for Better Rear Visibility
- Framed in Heavy-Duty Steel
- Easy to Install — No Tool Removal
- All PTO Drives are Engaged From the Operator's Seat

Fits

- Bobcat
- Cub Cadet
- John Deere
- Scag
- Bush Hog
- Dixie Chopper
- Kioti
- Spartan
- Country Clipper
- Greenworks
- Kubota
- Toro

Drive Options

- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement
- Briggs & Stratton 6.5hp Vanguard Gas Engine

* Not All Drives Available on All Mowers

Specifications

- Category: Commercial
- 15 Cubic Foot Capacity = 12 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 210 Pounds

| | PTO-C | PTO-X | B&S 6.5hp |
|----------------|------------|------------|------------|
| Install Weight | 250 Pounds | 275 Pounds | 275 Pounds |
| Added Width | 16" | 16" | 16" |
| Added Length | 30" | 30" | 30" |



PRO2B⁺



The **PRO2B+** is the perfect solution for smaller ZTR mowers. The Pro 2B+ features our PTO-R drive that easily deals with the heavy grass and wet leaves that can plug a weaker collection system. It's powerful, lightweight, and affordable; making it perfect for the homeowner.



3-Blade Steel Impeller & Cross Linked Polythylene Blower Housing on PTO-R



Easy No Tool Removal
(Once Installed)



Engage Drive From Operator's Seat

Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Lower Profile for Better Rear Visibility
- Adjustable Grass Dispersion Evenly Fills Bags
- Framed in Heavy-Duty Steel
- Easy to Install – No Tool Removal
- 4-Blade Steel Impeller & Cast Aluminum Housing with PTO-C and PTO-X Drive

Fits

- | | | |
|-------------------|-------------|-----------------|
| ➤ Bad Boy | ➤ Bobcat | ➤ Bush Hog |
| ➤ Country Clipper | ➤ Cub Cadet | ➤ Dixie Chopper |
| ➤ Kioti | ➤ Kubota | ➤ Scag |
| ➤ Spartan | | |

Drive Options

- PTO-R Drive with Mechanical Engagement
- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement

** Not All Drives Available on All Mowers*

Specifications

- Category: Residential
- 9 Cubic Foot Capacity = 7.2 Bushels
- Boot Adds 12" – 15" in Deck Width
- Debris Weight = 126 Pounds

| | PTO-R | PTO-C | PTO-X |
|----------------|------------|------------|------------|
| Install Weight | 180 Pounds | 215 Pounds | 225 Pounds |
| Added Width | 8" | 16" | 16" |
| Added Length | 24" | 24" | 24" |



PRO24^{DFS}



Turn to the **PRO24^{DFS}** to match the function and utility of your out-front mower. The huge 24-cubic foot vacuum system is fully mounted, adding less than a foot to the mower's total tail swing. Its exclusive pivot frame assembly allows the entire collection box to pivot to the rear, allowing full service access on the tractor.



Huge 24 Cubic Foot Box Dumps From Seat
(On Non-Cab Models)



Access Engine
Compartment to Mower



Now Available for Cab Models

Additional Features

- Heavy-Duty 5-Blade Steel Impeller
- Heavy-Duty Cast Aluminum Blower Housing
- Cast Aluminum Boot Kit
- Framed in Heavy-Duty Steel
- Corrosion-Resistant Aluminum Container with a Steel Door Frame

Fits

- John Deere 1550, 1570, 1575, 1580, & 1585 Terrain Cut

Drive Options

- Briggs & Stratton 14hp Vanguard Gas Engine
- Yanmar 7hp Electric Start Diesel Engine

Specifications

- Category: Commercial
- 24 Cubic Foot Capacity = 19.2 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 336 Pounds

| | B&S 14hp | Yanmar 7hp |
|----------------|------------|------------|
| Install Weight | 450 Pounds | 475 Pounds |
| Added Width | 18" | 18" |
| Added Length | 12" | 12" |



PRO22^{DFS}



The **PRO22^{DF}S** is a unique solution for compact tractors. It is a fully-mounted universal collection system that is great for most compact tractors with a category 1 three-point hitch. The aluminum box and cast aluminum components are lightweight and durable. Its huge 22 cubic foot capacity fits decks up to 72". This is the perfect complement to your tractor.



5-Blade Impeller and Large Aluminum Blower Housing on Engine Drives



Fits Most Category 1 Three-Point Hitch



Huge 22 Cubic Foot Capacity Box Dumps From Seat

Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Framed in Heavy-Duty Steel
- Corrosion-Resistant Aluminum Container with a Steel Door Frame
- Jack Stand Included for Easy On and Off on PTO Unit
- 4-Blade Steel Impeller with PTO Drive
- Polyethylene Universal Boot Kit
- Battery Box Kit Needed for Electric Start

Fits

- Most Compact or Sub-Compact Tractors with Category 1 Three-Point Hitch

Drive Options

- PTO Drive (540rpm)
- Briggs & Stratton 14hp Vanguard Electric Start Gas Engine
- Yanmar 7hp Electric Start Diesel Engine

Specifications

- Category: Commercial
- 22 Cubic Foot Capacity = 17.6 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 308 Pounds

| | PTO | B&S 14hp | Yanmar 7hp |
|----------------|------------|------------|------------|
| Install Weight | 388 Pounds | 300 Pounds | 320 Pounds |
| Added Width | 70" | 75" | 75" |
| Added Length | 40" | 40" | 40" |



PTO3B



The **PTO3B** solution to your compact tractor collection needs. The all new PECO PTO 3B fits most compact or sub-compact tractors with a Category 1 three-point-hitch. Powered by the tractor's 540rpm PTO shaft, the PECO PTO 3B features a 4-blade steel impeller that moves material in even the toughest mowing conditions.



4-Blade Impeller and Cast Aluminum Blower Housing



Fits Most Category 1 Three-Point Hitch



PTO Drive

Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Polyethylene Universal Boot Kit
- Framed in Heavy-Duty Steel
- Adjustable Grass Dispersion Evenly Fills All 3 Bags
- Easy to Install, With Jack Stand Included for Easy On and Off

Fits

- Most Compact Tractor or Sub-Compact Tractor with Category 1 Three-Point Hitch

Drive Options

- PTO Drive (540rpm)

Specifications

- Category: Commercial
- 15 Cubic Foot Capacity = 12 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 210 Pounds

| | PTO |
|----------------|------------|
| Install Weight | 332 Pounds |
| Added Width | 70" |
| Added Length | 30" |



ES36^{CUBIC FOOT}/50^{CUBIC FOOT} ESTATE SERIES



The **36 & 50 ESTATE SERIES** professional grade Trailer Vacs have the capacity to handle compact tractors with mower decks up to 72". Both models are equipped with the Trail-o-Matic hitch, which eliminates stretching or dragging the hose. The tapered aluminum box provides easy dumping with a quick lever pull.



5-Blade Impeller and Large Aluminum Blower Housing on ES50 (4-Blade on ES36)



Heavy-Duty Polyethylene Universal Boot



Easy Dump Action

Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Trail-o-Matic Hitch™ Keeps Hose in Place
- Framed in Heavy-Duty Steel
- Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- Corrosion-Resistant Aluminum Container
- Battery Box Kit Needed for Electric Start

Drive Options

- | | |
|--|--|
| <p>ES36 Estate Series:</p> <ul style="list-style-type: none"> ➤ Briggs & Stratton 6.5hp Vanguard Gas Engine ➤ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine | <p>ES50 Estate Series:</p> <ul style="list-style-type: none"> ➤ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine ➤ Yanmar 7hp Electric Start Diesel Engine |
|--|--|

Specifications

- Category: Commercial
- ES36 Estate Series:
 - 36 Cubic Foot Capacity = 28.8 Bushels
- ES50 Estate Series:
 - 50 Cubic Foot Capacity = 40 Bushels

| | | Install Weight | Load Weight | Dimensions |
|------|------------|----------------|-------------|------------------|
| ES36 | B&S 6.5hp | 550 Pounds | 504 Pounds | 46" x 92" x 60" |
| | B&S 14hp | 565 Pounds | 504 Pounds | 46" x 92" x 60" |
| ES50 | B&S 14hp | 700 Pounds | 700 Pounds | 50" x 112" x 62" |
| | Yanmar 7hp | 725 Pounds | 700 Pounds | 50" x 112" x 62" |

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 200 Pounds
- Tongue Height: 10"



ES36^P/50^P ESTATE SERIES PASTURE VAC

CUBIC FOOT

CUBIC FOOT



The time saving **36^P & 50^P ESTATE SERIES** trailers easily lift dried manure, used bedding, and fiber left from grooming, then grind it to a fine mulch for garden use or easy disposal. The large aluminum containers will not rust and are balanced and tapered to empty easily with a single pull of a convenient lever. Both come complete with 18' flex-hose and wand handle.



5-Blade Impeller and Large Aluminum Blower Housing on ES50^P
(4-Blade on ES36^P)



Optional Extra Length Tongue Extender



18' Wand Kit Included

Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Framed in Heavy-Duty Steel
- Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- Corrosion-Resistant Aluminum Container
- Can be Towed Behind Most ATV/UTV

Drive Options

- | | |
|--|--|
| ES36^P Estate Series: ➤ Briggs & Stratton 6.5hp Vanguard Gas Engine ➤ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine | ES50^P Estate Series: ➤ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine ➤ Yanmar 7hp Electric Start Diesel Engine |
|--|--|

Specifications

- ES36^P Estate Series:**
- Category: Commercial
 - 36 Cubic Foot Capacity = 28.8 Bushels
- ES50^P Estate Series:**
- Category: Commercial
 - 50 Cubic Foot Capacity = 40 Bushels

| | | Install Weight | Load Weight | Dimensions |
|-------------------|------------|----------------|-------------|------------------|
| ES36 ^P | B&S 6.5hp | 575 Pounds | 504 Pounds | 46" x 92" x 60" |
| | B&S 14hp | 590 Pounds | 504 Pounds | 46" x 92" x 60" |
| ES50 ^P | B&S 14hp | 725 Pounds | 700 Pounds | 50" x 112" x 62" |
| | Yanmar 7hp | 750 Pounds | 700 Pounds | 50" x 112" x 62" |

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 200 Pounds
- Tongue Height: 10"



CONVERTIBLE X20 & X30



The PECO **CONVERTIBLE X20** & **X30** are rugged, lightweight vacuum systems that fit most lawn tractors or zero-turn mowers. Either is the perfect solution for residential or light commercial use. Their tapered beds allow easy dumping and both quickly convert to dump carts for year-round versatility. Both are built for years of reliable clean ups.



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Converts to a Dump Cart in Minutes



Easy Dump

Additional Features

- Trail-o-Matic™ Hitch Keeps Hose in Place
- Universal Boot Will Fit Virtually Any Mower Deck
- Heavy-Duty 18-Gauge Steel Utility Dump Trailer for Extreme Durability
- Tapered Bed Tilts 45° for Complete Debris Removal When Dumped

Drive Options

- X20 Convertible:**
- Briggs & Stratton 6.5hp Vanguard Gas Engine
- X30 Convertible:**
- Briggs & Stratton 6.5hp Vanguard Gas Engine

Specifications

- X20 Convertible:**
- Category: Residential
 - 20 Cubic Foot Capacity = 16 Bushels
- X30 Convertible:**
- Category: Residential
 - 30 Cubic Foot Capacity = 24 Bushels

| | Dimensions | Trailer Weight | Load Weight |
|-----|-----------------|----------------|-------------|
| X20 | 39" x 78" x 50" | 260 Pounds | 280 Pounds |
| X30 | 42" x 84" x 56" | 285 Pounds | 420 Pounds |

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 100 Pounds



WAND KIT



Convert any PECO mower vacuum into the ultimate clean up tool. Its 18' of flexible hose and ergonomic handle allows you to get into hard-to-reach spots with ease. The wand kit is a great tool for anywhere your mower can't reach, such as planters, flower beds and ditches.

Model A1858 – For Small Blower Housings
Model A1861 – For Large Blower Housings

Specifications

Small Blower Housings:

- Pro 2B+ (*Not Compatible with PTO-R Drive*)
- Pro 3B
- Pro 12^{DFS}
- Pro 22^{DFS} with PTO Drive
- PTO 3B
- Convertible X20 & X30
- ES36 Estate Series with 6.5hp Engine Drive

Large Blower Housing:

- Pro 22^{DFS} with Engine Drives
- Pro 24^{DFS}
- ES36 Estate Series with 14hp Engine Drive
- ES50 Estate Series

Features

- Lightweight and Easy to Maneuver
- Great for Cleaning Planting Beds and Difficult to Reach Areas
- Kit Includes a Wand Nozzle, Lightweight 18' Super Flex Hose, Hose Clamps, and Cone
- Easy to Attach

TRUCK LOADER



With PECO power in a compact size, the Truck Loader turns your pickup truck into a powerful debris collection system. It mounts to a standard, 2" trailer hitch and uses PECO's proven impeller and blower housing connected to 25' of tough flexible polyurethane hose with an oversized nozzle and ergonomic handle. You provide the container, PECO does the rest.

Model TL-14

Features

- 25' of 8" Diameter Hose with Wand Kit
- 6' of 7" Diameter Upper Hose
- 7" Diameter Inlet Ring
- Fits Standard 2" Hitch
- Engine and Heavy-Duty Cast Aluminum Blower Housing
- Heavy-Duty 5-Blade Steel Impeller
- Does Not Include Truck Bed Container
- Battery Box Kit Needed for Electric Start

Drive Options

- Briggs & Stratton 14hp Vanguard Electric Start Gas Engine



Z-TRIMMER



Easy to install and simple to use. The lightweight Z-Trimmer is easily mounted to virtually any fabricated mower deck and runs off the mower's battery. Obstacles are not a problem as the Z-Trimmer is spring-loaded to swing away from any obstruction. It's a great tool to speed up regular maintenance of your yard or fence lines.

Model ZT-3000

Features

- Operating Range of 15-30 Amps
- Easily Folds for Transport and Locks into Place to Prevent Movement While Not in Use
- Shaft Debris Shield
- Fixed Line Head
- Resettable Circuit Breaker
- 140° Range of Head Movement
- 4600rpm 12V DC Motor with Sealed End Cap
- Recommended for Mowers with 48" Decks or Larger & Having 20" of Clearance From Edge of Deck to Mower Frame
- Comes Bolt-On Ready to Install and with 40 Pieces of Replacement Trimmer Line

Requirements

- Mower Must Have a Minimum 15 Amp Charging System to Power the Z-Trimmer
- Designed for Use on Regularly Maintained Areas
- Recommended Run Time: Approximately 20 Minutes Per Hour of Mowing
- Requires a 6" x 4" Flat Surface on Deck to Mount

PS5 SPRAYER



No need for pumping or lugging with the PS5 Sprayer. It's completely self-contained and rolls easily over lawns and gardens. The spray wand is always right at hand with multiple spray patterns to fit the job. Spray a flat or a fine mist adjustable to a 40' stream. A full charge on the battery can last for 6 hours, and the wide-mouthed illuminated container can hold up to five gallons. Sprayer folds for easy transport and storage.

Model 12008

Features

- Eliminates Hand Pumping or Lugging a Heavy Tank on Your Back
- Self-Contained 12V Electric Sprayer
- 14" Wheels
- Lightweight Aluminum Cart with Folding Handle for Easy Transport and Storage
- Electric 40 PSI Pump Runs up to 6 Hours Per Charge
- Heavy-Duty Gel Cell Rechargeable Battery
- Illuminated Wide Mouth 5-Gallon Container
- TeeJet Nozzle for Uniform Coverage Throughout the Flat Spray Pattern
- 29" Stainless Steel Spray Wand for Hard-to-Reach Places
- Commercial Shut-Off Valve with Lock-On and Lock-Off Features
- 10' Hose with a Quick-Release Hose Hanger
- Viton Valves / Santoprene Diaphragm



PTO GENERATOR



Use your tractor to provide the power you need, when you need it! Eliminate the extra costs of owning and maintaining a separate engine for your generator. PECO's PTO Generator is powered by your tractor's 540 rpm PTO. Automatic voltage regulation is standard on the 10kw and 16kw models. Fits any Category 1 or 2 three-point hitch. Whenever and wherever you need power, hook up your tractor and plug in!

10kw Model PTOG-0010

16kw Model PTOG-0016

22kw Model PTOG-0022

Features

- Heavy-Duty Single Phase Generators, Brush-less (Capacitor) Design for Maintenance Free Performance
- Aluminum and Steel Housing for Maximum Durability
- Drip-Proof Design
- 100% Copper Windings, Low Distortion Alternator (THM <5%) for High Quality Power Output, Insulation Class H
- Lifetime Pre-Sealed Maintenance Free Bearings
- 4" Three Bar LED Meter Provides Accurate Display of Hertz, Volts, and Amps Output
- Individually Protected Circuits
- Magnetic Circuit Breaker with Individual Circuit Protection for Safety and Accurate Overload Protection
- Full Power Outlet
- Simultaneous 120V and 240V Output

SUN SHADE



Universal Sun Shade!! Our easy to install sun shade mounts to most ROPS bars, protecting the rider from the heat, glare of the sun and rain. The UV Stable Plastic retains its shape and color. It's lightweight and installs in 15 minutes, with just a wrench. It is easily removable for folding ROPS or travel between jobs.

Model TzM-3641

Features

- Made from UV Stable Plastic
- Fits Mower's ROPS Bars:
 - 2" x 2"
 - 3" x 1.5"
 - 3" x 1.75"
 - 3" x 2"
- Also Available for Round ROPS
- Measures 36" x 41" x 4"
- 30° Range of Motion
- Fully Adjustable to Level Position on Forward or Rear Leaning ROPS



PARTS



Upgrade Kit: Converts 2-Blade System to 3-Blade A1843



Small Blower Housing PTO Systems E4004A



Blower Housing Small E4052A Large E5007A



Fabric Collection Bags with Hard Plastic Bottom



Hose Clamps 6" - 9"



6" F0060 7" F0070 8" F0080 9" F0090



Blower Cones 6" - 9"



2-Blade Impeller



3-Blade Impeller A1839



4-Blade Impeller A0645



5-Blade Impeller A0644



Tapered Bushing Kits

PECO baggers are designed to last, with many customers getting a decade or more of use from their units. To support the continued use of our product, PECO maintains an extensive inventory of replacement parts. Our experienced staff can assist you with parts look-up.



EDrive - Electric Drive
Available in Spring 2022



Briggs & Stratton 6.5hp Vanguard
Gas Engine with Blower & Blade
A639



Briggs & Stratton 14hp
Vanguard Electric Start Gas
Engine with Blower & Blade
A615



Yanmar 7hp Electric Start
Diesel Engine with
Blower & Blade
A620



Small Universal Boot Kit A0121
Large Universal Boot Kit A0137



Universal Weight Kit



Single



Dual



Quad

Estate Series Accessories and Upgrades



Jack
Stand



Jack Stand
With Wheel



Trailer Tow
A2276



Universal Battery Box Kit
A2326

BRUSH BLAZER[®]



Before



During



After

Drive Option

- Briggs & Stratton 37hp Vanguard EFI Gas Engine

Features

- Gas Engine with Electric Start
- Heavy-Duty Canister Air Cleaner
- 5 Gallon Fuel Capacity
- Digital Hour & Battery Meter
- Independent Pumps & Wheel Motors
- Hydro-Gear 10cc Pumps
- Zero-Turn-Radius Type Steering
- 48" Cutting Width & 4" Cutting Height
- Manual Clutch Type Deck Engagement
- Easily Cuts Grass, Weeds, Brush, and Up to 6" Caliper Trees
- 7" Diameter Aluminum Spindle Housing
- 1 $\frac{3}{8}$ " Heavy-Duty Spindle Shaft
- Infinitely Variable Ground Speed up to 5mph
- High-Speed Steel Flail Blades
- Cast Iron Pulleys
- Reinforced 7-Gauge Steel Deck & Chassis
- 1,250lbs Total Weight with Track Ground Pressure of 3psi
- Height: 45" – Width: 58 $\frac{1}{4}$ " – Length: 91 $\frac{1}{2}$ "
- 1 Year Limited Warranty

Designed to be the most capable walk-behind brush cutter on the market. Brush Blazer by PECO is the tool you shouldn't be without. Get the Job Done – easily cuts through brush and saplings up to 6" in diameter!





AMERICA'S LAWN VAC LEADER

10 Walden Drive, Arden, North Carolina 28704
(800) 438-5823 • www.LawnVac.com • Sales@LawnVac.com

