



**AMERICA'S LAWN VAC LEADER**





# AMERICA'S LAWNVAC LEADER

Originally founded in 1972, PECO has been a pioneer in the lawn care industry from our beginning. We are an independent, family-owned company driven to be the premier manufacturer of material collection systems and quality accessories for the outdoor power equipment industry. Our LawnVacs and other products are designed and built in America, to serve the needs of professional landscapers, institutions, and homeowners. We design our products to be long lasting, easy to use, and to work like nothing else. Our products make your job easier.

PECO's experienced, knowledgeable staff is available to help our customers get the most out of our products. We maintain an extensive inventory of parts, ensuring you many years of use for your LawnVac or other accessory. We stand behind our products with a one-year limited warranty.

We are dedicated to constantly improving our products and serving our customers year after year. PECO is proud to be America's LawnVac Leader.

Visit us at [www.LawnVac.com](http://www.LawnVac.com) to find information on our full product line, download manuals and parts breakdowns, locate a dealer, or ask a question 24/7.



# INNOVATION

## Patented PTO Drives

The PECO PTO drive is a unique way to power our LawnVacs. So unique, in fact, that it has been granted a US patent. Unlike other baggers whose blowers are mounted on the deck and driven off the deck spindle, our blowers take their power directly from the engine. This allows the blower to engage independently of the deck, which reduces start up strain on the engine and belts.

We now have three versions of our PTO Drive available to fit your needs.

### PTO-X:

- Our Most Advanced PTO Drive
- Electric Clutch Engagement
- Aluminum Housing and Cone
- 4-Blade 4-Gauge Steel Impeller
- Self-Tensioning Belt
- Fewer Moving Parts
- 1 Year Commercial Warranty

### PTO-C:

- Designed for Commercial Use
- Manual Over-Center Engagement
- Aluminum Housing and Cone
- 4-Blade 4-Gauge Steel Impeller
- 1 Year Commercial Warranty

### PTO-R:

- Designed for Residential Use
- Manual Lever Engagement
- Polyethylene Housing and Cone
- 3-Blade 7-Gauge Steel Impeller
- Lightweight
- 1 Year Residential Warranty

## TRAIL-O-MATIC HITCH



### Unique PECO Technology for Trailers

The PECO Trail-o-Matic hitch keeps the engine position fixed relative to your tractor as the trailer pivots. This exclusive feature keeps a constant length of hose from the boot to the impeller, which means no stretching or binding of the hose for better airflow and longer hose life.





# PRO12<sup>DFS</sup>





The **PRO12<sup>DFS</sup>** (Dump From Seat) is a mounted aluminum box designed for one-handed dumping from the operator's seat. The Pro 12<sup>DFS</sup> will increase your productivity, whatever your application. Featuring our patented mid-mounted blower, it has the power to handle today's high output commercial decks.



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Easy Dump From Seat



PTO-X with Self-Tensioning Belt and Electric Clutch Engagement

### Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Corrosion-Resistant Aluminum Container
- Framed in Heavy-Duty Steel, Polyethylene Door, and Steel Door Frame
- Easy to Install – No Tool Removal

### Fits

- |              |                 |                   |
|--------------|-----------------|-------------------|
| ➤ Bobcat     | ➤ Bush Hog      | ➤ Country Clipper |
| ➤ Cub Cadet  | ➤ Dixie Chopper | ➤ Exmark          |
| ➤ Greenworks | ➤ John Deere    | ➤ Kubota          |
| ➤ Scag       | ➤ Spartan       | ➤ Toro            |

### Drive Options

- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement
- Briggs & Stratton 6.5hp Vanguard Gas Engine

\* Not All Drives Available on All Mowers

### Specifications

- Category: Commercial
- 12 Cubic Foot Capacity = 9.6 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 168 Pounds

	PTO-C	PTO-X	B&S 6.5hp
Install Weight	325 - 330 Pounds	335 - 340 Pounds	
Added Width	16"	16"	
Added Length	24"	24"	





# PRO3B





The **PRO3B** is designed with the professional landscape contractor in mind, making it a true commercial collection system. The tapered design of the bags makes them easy to remove and dump. The Pro 3B features a rugged design and our patented mid-mount blower system to provide the high-volume collection capacity that today's commercial ZTR mowers demand.



4-Blade Steel Impeller & Cast Aluminum Blower Housing



Easy No Tool Removal (Once Installed)



Engage PTO-X Drive From Operator's Seat

### Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Adjustable Grass Dispersion Evenly Fills All 3 Bags
- Lower Profile for Better Rear Visibility
- Framed in Heavy-Duty Steel
- Easy to Install — No Tool Removal
- All PTO Drives are Engaged From the Operator's Seat

### Fits

- Bobcat
- Cub Cadet
- John Deere
- Scag
- Bush Hog
- Dixie Chopper
- Kioti
- Spartan
- Country Clipper
- Greenworks
- Kubota
- Toro

### Drive Options

- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement
- Briggs & Stratton 6.5hp Vanguard Gas Engine

\* Not All Drives Available on All Mowers

### Specifications

- Category: Commercial
- 15 Cubic Foot Capacity = 12 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 210 Pounds

	PTO-C	PTO-X	B&S 6.5hp
Install Weight	250 Pounds	275 Pounds	275 Pounds
Added Width	16"	16"	16"
Added Length	30"	30"	30"





# PRO2B<sup>+</sup>





The **PRO2B+** is the perfect solution for smaller ZTR mowers. The Pro 2B+ features our PTO-R drive that easily deals with the heavy grass and wet leaves that can plug a weaker collection system. It's powerful, lightweight, and affordable; making it perfect for the homeowner.



3-Blade Steel Impeller & Cross Linked Polythylene Blower Housing on PTO-R



Easy No Tool Removal  
(Once Installed)



Engage Drive From Operator's Seat

### Additional Features

- Comes Complete with Mounting Hardware and Weight Kit
- Lower Profile for Better Rear Visibility
- Adjustable Grass Dispersion Evenly Fills Bags
- Framed in Heavy-Duty Steel
- Easy to Install – No Tool Removal
- 4-Blade Steel Impeller & Cast Aluminum Housing with PTO-C and PTO-X Drive

### Fits

- |                   |             |                 |
|-------------------|-------------|-----------------|
| ➤ Bad Boy         | ➤ Bobcat    | ➤ Bush Hog      |
| ➤ Country Clipper | ➤ Cub Cadet | ➤ Dixie Chopper |
| ➤ Kioti           | ➤ Kubota    | ➤ Scag          |
| ➤ Spartan         |             |                 |

### Drive Options

- PTO-R Drive with Mechanical Engagement
- PTO-C Drive with Mechanical Engagement
- PTO-X Drive with Electronic Engagement

*\* Not All Drives Available on All Mowers*

### Specifications

- Category: Residential
- 9 Cubic Foot Capacity = 7.2 Bushels
- Boot Adds 12" – 15" in Deck Width
- Debris Weight = 126 Pounds

	PTO-R	PTO-C	PTO-X
Install Weight	180 Pounds	215 Pounds	225 Pounds
Added Width	8"	16"	16"
Added Length	24"	24"	24"





# PRO24<sup>DFS</sup>





Turn to the **PRO24<sup>DFS</sup>** to match the function and utility of your out-front mower. The huge 24-cubic foot vacuum system is fully mounted, adding less than a foot to the mower's total tail swing. Its exclusive pivot frame assembly allows the entire collection box to pivot to the rear, allowing full service access on the tractor.



Huge 24 Cubic Foot Box Dumps From Seat  
(On Non-Cab Models)



Access Engine  
Compartment to Mower



Now Available for Cab Models

## Additional Features

- Heavy-Duty 5-Blade Steel Impeller
- Heavy-Duty Cast Aluminum Blower Housing
- Cast Aluminum Boot Kit
- Framed in Heavy-Duty Steel
- Corrosion-Resistant Aluminum Container with a Steel Door Frame

## Fits

- John Deere 1550, 1570, and 1575 Terrain Cut

## Drive Options

- Briggs & Stratton 14hp Vanguard Gas Engine
- Yanmar 7hp Electric Start Diesel Engine

## Specifications

- Category: Commercial
- 24 Cubic Foot Capacity = 19.2 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 336 Pounds

	B&S 14hp	Yanmar 7hp
Install Weight	450 Pounds	475 Pounds
Added Width	18"	18"
Added Length	12"	12"





# PRO22<sup>DFS</sup>





The **PRO22<sup>DFS</sup>** is a unique solution for compact tractors. It is a fully-mounted universal collection system that is great for most compact tractors with a category 1 three-point hitch. The aluminum box and cast aluminum components are lightweight and durable. Its huge 22 cubic foot capacity fits decks up to 72". This is the perfect complement to your tractor.



5-Blade Impeller and Large Aluminum Blower Housing on Engine Drives



Fits Most Category 1 Three-Point Hitch



Huge 22 Cubic Foot Capacity Box Dumps From Seat

### Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Framed in Heavy-Duty Steel
- Corrosion-Resistant Aluminum Container with a Steel Door Frame
- Jack Stand Included for Easy On and Off on PTO Unit
- 4-Blade Steel Impeller with PTO Drive
- Polyethylene Universal Boot Kit
- Battery Box Kit Needed for Electric Start

### Fits

- Most Compact or Sub-Compact Tractors with Category 1 Three-Point Hitch

### Drive Options

- PTO Drive (540rpm)
- Briggs & Stratton 14hp Vanguard Electric Start Gas Engine
- Yanmar 7hp Electric Start Diesel Engine

### Specifications

- Category: Commercial
- 22 Cubic Foot Capacity = 17.6 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 308 Pounds

	PTO	B&S 14hp	Yanmar 7hp
Install Weight	388 Pounds	300 Pounds	320 Pounds
Added Width	70"	75"	75"
Added Length	40"	40"	40"





# PTO3B





The **PTO3B** solution to your compact tractor collection needs. The all new PECO PTO 3B fits most compact or sub-compact tractors with a Category 1 three-point-hitch. Powered by the tractor's 540rpm PTO shaft, the PECO PTO 3B features a 4-blade steel impeller that moves material in even the toughest mowing conditions.



4-Blade Impeller and Cast Aluminum Blower Housing



Fits Most Category 1 Three-Point Hitch



PTO Drive

### Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Polyethylene Universal Boot Kit
- Framed in Heavy-Duty Steel
- Adjustable Grass Dispersion Evenly Fills All 3 Bags
- Easy to Install, With Jack Stand Included for Easy On and Off

### Fits

- Most Compact Tractor or Sub-Compact Tractor with Category 1 Three-Point Hitch

### Drive Options

- PTO Drive (540rpm)

### Specifications

- Category: Commercial
- 15 Cubic Foot Capacity = 12 Bushels
- Boot Adds 12" – 15" to Deck Width
- Debris Weight = 210 Pounds

	PTO
Install Weight	332 Pounds
Added Width	70"
Added Length	30"





# ES36<sup>CUBIC FOOT</sup>/50<sup>CUBIC FOOT</sup> ESTATE SERIES





The **36 & 50 ESTATE SERIES** professional grade Trailer Vacs have the capacity to handle compact tractors with mower decks up to 72". Both models are equipped with the Trail-o-Matic hitch, which eliminates stretching or dragging the hose. The tapered aluminum box provides easy dumping with a quick lever pull.



5-Blade Impeller and Large Aluminum Blower Housing on ES50 (4-Blade on ES36)



Heavy-Duty Polyethylene Universal Boot



Easy Dump Action

### Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Trail-o-Matic Hitch™ Keeps Hose in Place
- Framed in Heavy-Duty Steel
- Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- Corrosion-Resistant Aluminum Container
- Battery Box Kit Needed for Electric Start

### Drive Options

- |   |  |
|---|--|
| <p><b>ES36 Estate Series:</b></p> <ul style="list-style-type: none"> <li>➤ Briggs &amp; Stratton 6.5hp Vanguard Gas Engine</li> </ul> | <p><b>ES50 Estate Series:</b></p> <ul style="list-style-type: none"> <li>➤ Briggs &amp; Stratton 14hp Vanguard Electric Start Gas Engine</li> <li>➤ Yanmar 7hp Electric Start Diesel Engine</li> </ul> |
|---|--|

### Specifications

- Category: Commercial
- ES36 Estate Series:**
- 36 Cubic Foot Capacity = 28.8 Bushels
- ES50 Estate Series:**
- 50 Cubic Foot Capacity = 40 Bushels

		Install Weight	Load Weight	Dimensions
ES36	B&S 6.5hp	550 Pounds	504 Pounds	92" x 46" x 60"
	B&S 14hp	700 Pounds	700 Pounds	112" x 50" x 62"
ES50	Yanmar 7hp	725 Pounds	700 Pounds	112" x 50" x 62"

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 200 Pounds
- Tongue Height: 10"





# ES36<sup>P</sup>/50<sup>P</sup> ESTATE SERIES PASTURE VAC

CUBIC FOOT

CUBIC FOOT





The time saving **36<sup>P</sup> & 50<sup>P</sup> ESTATE SERIES** trailers easily lift dried manure, used bedding, and fiber left from grooming, then grind it to a fine mulch for garden use or easy disposal. The large aluminum containers will not rust and are balanced and tapered to empty easily with a single pull of a convenient lever. Both come complete with 18' flex-hose and wand handle.



5-Blade Impeller and Large Aluminum Blower Housing on ES50<sup>P</sup>  
(4-Blade on ES36<sup>P</sup>)



Optional Extra Length Tongue Extender



18' Wand Kit Included

### Additional Features

- Heavy-Duty Cast Aluminum Blower Housing
- Framed in Heavy-Duty Steel
- Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- Corrosion-Resistant Aluminum Container
- Can be Towed Behind Most ATV/UTV

### Drive Options

- |   |  |
|---|--|
| <p><b>ES36<sup>P</sup> Estate Series:</b></p> <ul style="list-style-type: none"> <li>➤ Briggs &amp; Stratton 6.5hp Vanguard Gas Engine</li> </ul> | <p><b>ES50<sup>P</sup> Estate Series:</b></p> <ul style="list-style-type: none"> <li>➤ Briggs &amp; Stratton 14hp Vanguard Electric Start Gas Engine</li> <li>➤ Yanmar 7hp Electric Start Diesel Engine</li> </ul> |
|---|--|

### Specifications

- ES36<sup>P</sup> Estate Series:**
- Category: Commercial
  - 36 Cubic Foot Capacity = 28.8 Bushels
- ES50<sup>P</sup> Estate Series:**
- Category: Commercial
  - 50 Cubic Foot Capacity = 40 Bushels

	Install Weight	Load Weight	Dimensions
ES36 <sup>P</sup> B&S 6.5hp	575 Pounds	504 Pounds	92" x 46" x 60"
ES50 <sup>P</sup>	B&S 14hp	725 Pounds	700 Pounds
	Yanmar 7hp	750 Pounds	700 Pounds
			112" x 50" x 62"

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 200 Pounds
- Tongue Height: 10"





# CONVERTIBLE X20 & X30





The PECO **CONVERTIBLE X20** & **X30** are rugged, lightweight vacuum systems that fit most lawn tractors or zero-turn mowers. Either is the perfect solution for residential or light commercial use. Their tapered beds allow easy dumping and both quickly convert to dump carts for year-round versatility. Both are built for years of reliable clean ups.



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Converts to a Dump Cart in Minutes



Easy Dump

### Additional Features

- Trail-o-Matic™ Hitch Keeps Hose in Place
- Universal Boot Will Fit Virtually Any Mower Deck
- Heavy-Duty 18-Gauge Steel Utility Dump Trailer for Extreme Durability
- Tapered Bed Tilts 45° for Complete Debris Removal When Dumped

### Drive Options

X20 Convertible:

- Briggs & Stratton 6.5hp Vanguard Gas Engine

X30 Convertible:

- Briggs & Stratton 6.5hp Vanguard Gas Engine

### Specifications

X20 Convertible:

- Category: Residential
- 20 Cubic Foot Capacity = 16 Bushels

X30 Convertible:

- Category: Residential
- 30 Cubic Foot Capacity = 24 Bushels

	Dimensions	Trailer Weight	Load Weight
X20	78" x 39" x 50"	260 Pounds	280 Pounds
X30	84" x 42" x 56"	285 Pounds	420 Pounds

- Boot Adds 12" – 15" to Deck Width
- Tongue Weight: 100 Pounds





# WAND KIT



Convert any PECO mower vacuum into the ultimate clean up tool. Its 18' of flexible hose and ergonomic handle allows you to get into hard-to-reach spots with ease. The wand kit is a great tool for anywhere your mower can't reach, such as planters, flower beds and ditches.

**Model A1858 – For Small Blower Housings**  
**Model A1861 – For Large Blower Housings**

## Specifications

**Small Blower Housings\*:**

- Pro 2B<sup>+</sup>
- Pro 3B
- Pro 12<sup>DFS</sup>
- Pro 22<sup>DFS</sup> with PTO Drive
- Convertible X20 & X30
- ES36 Estate Series

**Large Blower Housing:**

- Pro 22<sup>DFS</sup> with Engine Drives
- Pro 24<sup>DFS</sup>
- ES50 Estate Series

*\*Not Compatible with PTO Drives*

## Features

- Lightweight and Easy to Maneuver
- Great for Cleaning Planting Beds and Difficult to Reach Areas
- Kit Includes a Wand Nozzle, Lightweight 18' Super Flex Hose, Hose Clamps, and Cone
- Easy to Attach



# TRUCK LOADER



With PECO power in a compact size, the Truck Loader turns your pickup truck into a powerful debris collection system. It mounts to a standard, 2" trailer hitch and uses PECO's proven impeller and blower housing connected to 25' of tough flexible polyurethane hose with an oversized nozzle and ergonomic handle. You provide the container, PECO does the rest.

## Model TL-14

### Features

- 25' of 8" Diameter Hose with Wand Kit
- 6' of 7" Diameter Upper Hose
- 7" Diameter Inlet Ring
- Fits Standard 2" Hitch
- Heavy-Duty Cast Aluminum Blower Housing
- Heavy-Duty 5-Blade Steel Impeller
- Does Not Include Truck Bed Container

### Drive Options

- Briggs & Stratton 14hp Vanguard Electric Start Gas Engine





# Z-TRIMMER



Easy to install and simple to use. The lightweight Z-Trimmer is easily mounted to virtually any fabricated mower deck and runs off the mower's battery. Obstacles are not a problem as the Z-Trimmer is spring-loaded to swing away from any obstruction. It's a great tool to speed up regular maintenance of your yard or fence lines.

**Model ZT-3000**

## Features

- Operating Range of 15-30 Amps
- Easily Folds for Transport and Locks into Place to Prevent Movement While Not in Use
- Shaft Debris Shield
- Fixed Line Head
- Resettable Circuit Breaker
- 140° Range of Head Movement
- 4600rpm 12V DC Motor with Sealed End Cap
- Recommended for Mowers with 48" Decks or Larger & Having 20" of Clearance From Edge of Deck to Mower Frame
- Comes Bolt-On Ready to Install and with 40 Pieces of Replacement Trimmer Line

## Requirements

- Mower Must Have a Minimum 15 Amp Charging System to Power the Z-Trimmer
- Designed for Use on Regularly Maintained Areas
- Recommended Run Time: Approximately 20 Minutes Per Hour of Mowing
- Requires a 6" x 4" Flat Surface on Deck to Mount



# PS5 SPRAYER



No need for pumping or lugging with the PS5 Sprayer. It's completely self-contained and rolls easily over lawns and gardens. The spray wand is always right at hand with multiple spray patterns to fit the job. Spray a flat or a fine mist adjustable to a 40' stream. A full charge on the battery can last for 6 hours, and the wide-mouthed illuminated container can hold up to five gallons. Sprayer folds for easy transport and storage.

**Model 12008**

## Features

- Eliminates Hand Pumping or Lugging a Heavy Tank on Your Back
- Self-Contained 12V Electric Sprayer
- 14" Wheels
- Lightweight Aluminum Cart with Folding Handle for Easy Transport and Storage
- Electric 40 PSI Pump Runs up to 6 Hours Per Charge
- Heavy-Duty Gel Cell Rechargeable Battery
- Illuminated Wide Mouth 5-Gallon Container
- TeeJet Nozzle for Uniform Coverage Throughout the Flat Spray Pattern
- 29" Stainless Steel Spray Wand for Hard-to-Reach Places
- Commercial Shut-Off Valve with Lock-On and Lock-Off Features
- 10' Hose with a Quick-Release Hose Hanger
- Viton Valves / Santoprene Diaphragm





# PTO GENERATOR



Use your tractor to provide the power you need, when you need it! Eliminate the extra costs of owning and maintaining a separate engine for your generator. PECO's PTO Generator is powered by your tractor's 540 rpm PTO. Automatic voltage regulation is standard on the 10kw and 16kw models. Fits any Category 1 or 2 three-point hitch. Whenever and wherever you need power, hook up your tractor and plug in!

**10kw Model PTOG-0010**

**16kw Model PTOG-0016**

**22kw Model PTOG-0022**

## Features

- Heavy-Duty Single Phase Generators, Brush-less (Capacitor) Design for Maintenance Free Performance
- Aluminum and Steel Housing for Maximum Durability
- Drip-Proof Design
- 100% Copper Windings, Low Distortion Alternator (THM <5%) for High Quality Power Output, Insulation Class H
- Lifetime Pre-Sealed Maintenance Free Bearings
- 4" Three Bar LED Meter Provides Accurate Display of Hertz, Volts, and Amps Output
- Individually Protected Circuits
- Magnetic Circuit Breaker with Individual Circuit Protection for Safety and Accurate Overload Protection
- Full Power Outlet
- Simultaneous 120V and 240V Output



# SUN SHADE



**Universal Sun Shade!!** Our easy to install sun shade mounts to most ROPS bars, protecting the rider from the heat, glare of the sun and rain. The UV Stable Plastic retains its shape and color. It's lightweight and installs in 15 minutes, with just a wrench. It is easily removable for folding ROPS or travel between jobs.

**Model TzM-3641**

## Features

- Made from UV Stable Plastic
- Fits Mower's ROPS Bars:
  - 2" x 2"
  - 3" x 1.5"
  - 3" x 1.75"
  - 3" x 2"
- Also Available for Round ROPS
- Measures 36" x 41" x 4"
- 30° Range of Motion
- Fully Adjustable to Level Position on Forward or Rear Leaning ROPS





# PARTS



Upgrade Kit: Converts 2-Blade System to 3-Blade A1843



Small Blower Housing PTO Systems E4004A



Blower Housing Small E4052A Large E5007A



Fabric Collection Bags with Hard Plastic Bottom



Hose Clamps 6" - 9"



6" F0060 7" F0070 8" F0080 9" F0090



Blower Cones 6" - 9"



2-Blade Impeller



3-Blade Impeller A1839



4-Blade Impeller A0645



5-Blade Impeller A0644



Tapered Bushing Kits



PECO baggers are designed to last, with many customers getting a decade or more of use from their units. To support the continued use of our product, PECO maintains an extensive inventory of replacement parts. Our experienced staff can assist you with parts look-up.



EDrive - Electric Drive  
Coming Soon



Briggs & Stratton 6.5hp Vanguard  
Gas Engine with Blower & Blade  
A639



Briggs & Stratton 14hp  
Vanguard Electric Start Gas  
Engine with Blower & Blade  
A615



Yanmar 7hp Electric Start  
Diesel Engine with  
Blower & Blade  
A620



Small Universal Boot Kit A0121  
Large Universal Boot Kit A0137



Universal Weight Kit



Single



Dual



Quad

## Estate Series Accessories and Upgrades



Jack  
Stand



Jack Stand  
With Wheel



Trailer Tow  
A2276



Universal Battery Box Kit  
A2326



# BRUSH BLAZER<sup>®</sup>



Before



During



After

## Drive Option

- Briggs & Stratton 37hp Vanguard EFI Gas Engine

## Features

- Gas Engine with Electric Start
- Heavy-Duty Canister Air Cleaner
- 5 Gallon Fuel Capacity
- Digital Hour & Battery Meter
- Independent Pumps & Wheel Motors
- Hydro-Gear 10cc Pumps
- Zero-Turn-Radius Type Steering
- 48" Cutting Width & 4" Cutting Height
- Manual Clutch Type Deck Engagement
- Easily Cuts Grass, Weeds, Brush, and Up to 6" Caliper Trees
- 7" Diameter Aluminum Spindle Housing
- 1 $\frac{3}{8}$ " Heavy-Duty Spindle Shaft
- Infinitely Variable Ground Speed up to 5mph
- High-Speed Steel Flail Blades
- Cast Iron Pulleys
- Reinforced 7-Gauge Steel Deck & Chassis
- 1,250lbs Total Weight with Track Ground Pressure of 3psi
- Height: 45" – Width: 58 $\frac{1}{4}$ " – Length: 91 $\frac{1}{2}$ "
- 1 Year Limited Warranty



Designed to be the most capable walk-behind brush cutter on the market. Brush Blazer by PECO is the tool you shouldn't be without. Get the Job Done – easily cuts through brush and saplings up to 6" in diameter!







## AMERICA'S LAWN VAC LEADER

10 Walden Drive, Arden, North Carolina 28704  
(800) 438-5823 • [www.LawnVac.com](http://www.LawnVac.com) • [Sales@LawnVac.com](mailto:Sales@LawnVac.com)

